


H-COIL Gewindeeinsätze DIN 8140

H-COIL wire thread
inserts DIN 8140



Anwendungsbeispiele / Examples of use



Einbau eines H-COIL

Der H-COIL Gewindeeinsatz von Hapare kann wie eine Schraube angesetzt und eingedreht werden. Mit einer Einbauspindel lässt sich der H-COIL eindrehen, die Bauform ist nicht größer als der Gewindebohrer. Die Einbautiefe ist immer so zu wählen, dass die letzte eingezogene Drahtgewinde unter der ersten Lastflanke des Aufnahmegewindes liegt.

Installation of an H-COIL

Hapare H-COIL threaded inserts can be threaded and screwed in just like a screw. Install the H-COIL with the installation tool, which is smaller than the tap. The installation depth must result in the top wire thread being countersunk below the surface of the base material.

H-COIL Gewindeeinsätze DIN 8140

Rostfreier Stahl A2 (304H), freilaufend, Tol. 6H

H-COIL wire thread inserts DIN 8140
A2 (304H) stainless steel, free running, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66640	H-COIL M1,6x0,35x1,6(1D)A2	50
66641	H-COIL M1,6x0,35x2,4(1,5D)A2	50
66642	H-COIL M1,6x0,35x3,2(2D)A2	50
66643	H-COIL M1,6x0,35x4,0(2,5D)A2	50
66644	H-COIL M1,6x0,35x4,8(3D)A2	50
66655	H-COIL M2x0,4x2,0(1D)A2	50
66656	H-COIL M2x0,4x3,0(1,5D)A2	50
66657	H-COIL M2x0,4x4,0(2D)A2	50
66658	H-COIL M2x0,4x5,0(2,5D)A2	50
66659	H-COIL M2x0,4x6,0(3D)A2	50
66665	H-COIL M2,5x0,45x2,5(1D)A2	50
66666	H-COIL M2,5x0,45x3,75(1,5D)A2	50
66667	H-COIL M2,5x0,45x5,0(2D)A2	50
66668	H-COIL M2,5x0,45x6,25(2,5D)A2	50
66669	H-COIL M2,5x0,45x7,5(3D)A2	50
66670	H-COIL M3x0,5x3,0(1D)A2	25
66671	H-COIL M3x0,5x4,5(1,5D)A2	25
66672	H-COIL M3x0,5x6,0(2D)A2	25
66673	H-COIL M3x0,5x7,5(2,5D)A2	25
66674	H-COIL M3x0,5x9,0(3D)A2	25
66677	H-COIL M4x0,7x4,0(1D)A2	25
66678	H-COIL M4x0,7x6,0(1,5D)A2	25
66679	H-COIL M4x0,7x8,0(2D)A2	25
66675	H-COIL M4x0,7x10,0(2,5D)A2	25
66676	H-COIL M4x0,7x12,0(3D)A2	25
66683	H-COIL M5x0,8x5,0(1D)A2	25
66425	H-COIL M5x0,8x7,5(1,5D)A2	25
66680	H-COIL M5x0,8x10,0(2D)A2	25
66681	H-COIL M5x0,8x12,5(2,5D)A2	25

H-COIL Gewindeeinsätze DIN 8140

Rostfreier Stahl A2 (304H), freilaufend, Tol. 6H

H-COIL wire thread inserts DIN 8140
A2 (304H) stainless steel, free running, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66682	H-COIL M5x0,8x15,0(3D)A2	25
66426	H-COIL M6x1x6,0(1D)A2	25
66687	H-COIL M6x1x9,0(1,5D)A2	25
66684	H-COIL M6x1x12,0(2D)A2	25
66685	H-COIL M6x1x15,0(2,5D)A2	25
66686	H-COIL M6x1x18,0(3D)A2	25
66692	H-COIL M8x1,25x8,0(1D)A2	25
66688	H-COIL M8x1,25x12,0(1,5D)A2	25
66689	H-COIL M8x1,25x16,0(2D)A2	25
66690	H-COIL M8x1,25x20,0(2,5D)A2	25
66691	H-COIL M8x1,25x24,0(3D)A2	25
66625	H-COIL M10x1,5x10,0(1D)A2	25
66626	H-COIL M10x1,5x15,0(1,5D)A2	25
66627	H-COIL M10x1,5x20,0(2D)A2	25
66628	H-COIL M10x1,5x25,0(2,5D)A2	25
66629	H-COIL M10x1,5x30,0(3D)A2	25
66630	H-COIL M12x1,75x12,0(1D)A2	15
66631	H-COIL M12x1,75x18,0(1,5D)A2	15
66632	H-COIL M12x1,75x24,0(2D)A2	15
66633	H-COIL M12x1,75x30,0(2,5D)A2	15
66634	H-COIL M12x1,75x36,0(3D)A2	15
66635	H-CoilM14x2x14,0(1D)A2	15
66636	H-CoilM14x2x21,0(1,5D)A2	15
66637	H-COIL M14x2x28,0(2D)A2	15
66638	H-COIL M14x2x35,0(2,5D)A2	15
66639	H-COIL M14x2x42,0(3D)A2	15
66645	H-COIL M16x2x16,0(1D)A2	10
66646	H-COIL M16x2x24,0(1,5D)A2	10
66647	H-COIL M16x2x32,0(2D)A2	10

H-COIL Gewindeeinsätze DIN 8140

Rostfreier Stahl A2 (304H), freilaufend, Tol. 6H

H-COIL wire thread inserts DIN 8140
A2 (304H) stainless steel, free running, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66648	H-COIL M16x2x40,0(2,5D)A2	10
66649	H-COIL M16x2x48,0(3D)A2	10
66650	H-COIL M20x2,5x20,0(1D)A2	10
66651	H-COIL M20x2,5x30,0(1,5D)A2	10
66652	H-COIL M20x2,5x40,0(2D)A2	10
66653	H-COIL M20x2,5x50,0(2,5D)A2	10
66654	H-COIL M20x2,5x60,0(3D)A2	10
66660	H-COIL M24x3x24,0(1D)A2	10
66661	H-COIL M24x3x36,0(1,5D)A2	10
66662	H-COIL M24x3x48,0(2D)A2	10
66663	H-COIL M24x3x60,0(2,5D)A2	10
66664	H-COIL M24x3x72,0(3D)A2	10

H-COIL Gewindeeinsätze DIN 8140 Rostfreier Stahl A2 (304H), selbstsichernd, Tol. 6H

H-COIL wire thread inserts DIN 8140
A2 (304H) stainless steel, self-locking, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66439	H-COIL M1,6x0,35x1,6(1D)A2	50
66440	H-COIL M1,6x0,35x2,4(1,5D)A2	50
66441	H-COIL IM1,6x0,35x3,2(2D)A2	50
66442	H-COIL M1,6x0,35x4,0(2,5D)A2	50
66443	H-COIL M1,6x0,35x4,8(3D)A2	50
66444	H-COIL M2x0,4x2,0(1D)A2	50
66445	H-COIL M2x0,4x3,0(1,5D)A2	50
66446	H-COIL M2x0,4x4,0(2D)A2	50
66447	H-COIL M2x0,4x5,0(2,5D)A2	50
66448	H-COIL M2x0,4x6,0(3D)A2	50
66737	H-COIL M2,5x0,45x2,5(1D)A2	50
66738	H-COIL M2,5x0,45x3,75(1,5D)A2	50
66739	H-COIL M2,5x0,45x5,0(2D)A2	50
66740	H-COIL M2,5x0,45x6,25(2,5D)A2	50
66741	H-COIL M2,5x0,45x7,5(3D)A2	50
66742	H-COIL M3x0,5x3,0(1D)A2	25
66743	H-COIL M3x0,5x4,5(1,5D)A2	25
66744	H-COIL M3x0,5x6,0(2D)A2	25
66745	H-COIL M3x0,5x7,5(2,5D)A2	25
66746	H-COIL M3x0,5x9,0(3D)A2	25
66749	H-COIL M4x0,7x4,0(1D)A2	25
66750	H-COIL M4x0,7x6,0(1,5D)A2	25
66751	H-COIL M4x0,7x8,0(2D)A2	25
66747	H-COIL M4x0,7x10,0(2,5D)A2	25
66748	H-COIL M4x0,7x12,0(3D)A2	25
66755	H-COIL M5x0,8x5,0(1D)A2	25
66756	H-COIL M5x0,8x7,5(1,5D)A2	25
66752	H-COIL M5x0,8x10,0(2D)A2	25
66753	H-COIL M5x0,8x12,5(2,5D)A2	25

H-COIL Gewindeeinsätze DIN 8140 Rostfreier Stahl A2 (304H), selbstsichernd, Tol. 6H

H-COIL wire thread inserts, DIN 8140
A2 (304H) stainless steel, self-locking, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66754	H-COIL M5x0,8x15,0(3D)A2	25
66760	H-COIL M6x1x6,0(1D)A2	25
66761	H-COIL M6x1x9,0(1,5D)A2	25
66757	H-COIL M6x1x12,0(2D)A2	25
66758	H-COIL M6x1x15,0(2,5D)A2	25
66759	H-COIL M6x1x18,0(3D)A2	25
66766	H-COIL M8x1,25x8,0(1D)A2	25
66762	H-COIL M8x1,25x12,0(1,5D)A2	25
66763	H-COIL M8x1,25x16,0(2D)A2	25
66764	H-COIL M8x1,25x20,0(2,5D)A2	25
66765	H-COIL M8x1,25x24,0(3D)A2	25
66707	H-COIL M10x1,5x10,0(1D)A2	25
66708	H-COIL M10x1,5x15,0(1,5D)A2	25
66709	H-COIL M10x1,5x20,0(2D)A2	25
66710	H-COIL M10x1,5x25,0(2,5D)A2	25
66711	H-COIL M10x1,5x30,0(3D)A2	25
66712	H-COIL M12x1,75x12,0(1D)A2	15
66713	H-COIL M12x1,75x18,0(1,5D)A2	15
66714	H-COIL M12x1,75x24,0(2D)A2	15
66715	H-COIL M12x1,75x30,0(2,5D)A2	15
66716	H-COIL M12x1,75x36,0(3D)A2	15
66717	H-COIL M14x2x14,0(1D)A2	15
66718	H-COIL M14x2x21,0(1,5D)A2	15
66719	H-COIL M14x2x28,0(2D)A2	15
66720	H-COIL M14x2x35,0(2,5D)A2	15
66721	H-COIL M14x2x42,0(3D)A2	15
66722	H-COIL M16x2x16,0(1D)A2	10
66723	H-COIL M16x2x24,0(1,5D)A2	10
66724	H-COIL M16x2x32,0(2D)A2	10

H-COIL Gewindeeinsätze DIN 8140 Rostfreier Stahl A2 (304H), selbstsichernd, Tol. 6H

H-COIL wire thread inserts, DIN 8140
A2 (304H) stainless steel, self-locking, tolerance 6H



Artikel-Nr.	Bezeichnung	VP-Menge
Article-No.	Description	Packaging quantity
66725	H-COIL M16x2x40,0(2,5D)A2	10
66726	H-COIL M16x2x48,0(3D)A2	10
66727	H-COIL M20x2,5x20,0(1D)A2	10
66728	H-COIL M20x2,5x30,0(1,5D)A2	10
66729	H-COIL M20x2,5x40,0(2D)A2	10
66730	H-COIL M20x2,5x50,0(2,5D)A2	10
66731	H-COIL M20x2,5x60,0(3D)A2	10
66732	H-COIL M24x3x24,0(1D)A2	10
66733	H-COIL M24x3x36,0(1,5D)A2	10
66734	H-COIL M24x3x48,0(2D)A2	10
66735	H-COIL M24x3x60,0(2,5D)A2	10
66736	H-COIL M24x3x72,0(3D)A2	10